

Square Box

▲PopUpParkour

Recommended Tools:


- ☐ Rubber Mallet

Step 1:

Begin by connecting the side pieces together. Slide the hooks on one panel through the slots on the other panel, then press down to secure them.

Step 2:

After all sides are attached, position the top piece in place and secure it by hammering it down with a rubber mallet if necessary.



Need help?

Call 1-800-932-3339 or
Email info@gymsupply.com

Small Rectangular Box



Recommended Tools:


- Rubber Mallet

Step 1:

Begin by connecting the side pieces together. Slide the hooks on one panel through the slots on the other panel, then press down to secure them.

Step 2:

After all sides are attached, position the top piece in place and secure it by hammering it down with a rubber mallet if necessary.



Need help?

Call 1-800-932-3339 or
Email info@gymsupply.com

2-Sided Trapezoid Box



Recommended Tools:

- ☐ Rubber Mallet


Step 1:

Begin by joining the side pieces together, aligning the slots over the notches. Secure them in place by hammering with a rubber mallet, ensuring the angled edges are positioned at the top to sit flush with the top piece.



Step 2:

After all sides are attached, position the top piece in place and secure it by hammering it down with a rubber mallet if necessary.



Need help?
Call 1-800-932-3339 or
Email info@gymsupply.com

1-Sided Trapezoid Box



Recommended Tools:

- ☐ Rubber Mallet

Step 1:


Begin by connecting the side and rear pieces together. Slide the hooks on one panel through the slots on the other panel and press down to secure them.

Step 2:

Next, attach the angled side piece by aligning the slots over the notches and hammering them in place with a rubber mallet. Ensure that the angled edges are positioned at the top to sit flush with the top piece.

Step 3:

After all sides are attached, position the top piece in place and secure it by hammering it down with a rubber mallet if necessary.



Need help?

Call 1-800-932-3339 or
Email info@gymsupply.com

6ft Beam With Connectors


▲PopUpParkour

Step 1:

To install the beam, remove the top of your Pop Up Parkour Box. Align the beam so that the threads pass through the box's holes.

Step 2:

Inside the box, place the washer over the threads and secure it with a wingnut.



Need help?

Call 1-800-932-3339 or
Email info@gymsupply.com

6ft Pipe With Connectors




Step 1:

To install the pipe, remove the top of your Pop Up Parkour Box. Align the pipe so that the threads pass through the box's holes.



Step 2:

Inside the box, place the washer over the threads and secure it with a wingnut.



Need help?

Call 1-800-932-3339 or
Email info@gymsupply.com