



Devil Steps


Included:	48 - Flat Washers
6 - Wooden Devil Steps	24 - Lock Washers
12 - Kee Fittings	24 - Hex Nuts
24 - 2.5" Button Head Screws	2 - 8" Pegs
	2 - Tee Handles




- 1 Lay wooden devil step down, so that screw heads are facing up. place flat washers over two button head screws into holes as shown, also facing up.



- 2 Place Kee Fitting over screws as shown, and push towards outside edge until screws hit the inside edge of fitting.



- 3 Place flat washers over each screw, followed by lock washers, then hex nuts. Tighten down hex nuts.



- 4 Repeat for other end of Devil Step, and then again for the other 5 Devil Steps. Once assembled, the devil steps may be attached to the slider rails using the accessory attachment brackets by tightening the set screws on each kee fitting.
- 5 If using rock holds or cliffhangers in pre-installed t-nuts, be sure to use appropriate length bolts with 3/8"x16 thread (standard to most rock holds)

DGS
17 Lucienne Ave
Danielson, CT 06239
800-932-3339
info@gymssupply.com



WARNING: These items are not toys. Activities involving motion and height create inherent risk of serious injury including paralysis or death. These products are intended for use by properly trained participants under qualified supervision, and the user of this product therefor assumes this risk. Always know your physical limitations and limits of your equipment. Avoid landing on head or neck as serious injuries may result. Always check for proper mat positioning, equipment stability, and inspect hardware for wear and damage before and after each use. Do not use if signs of damage or excessive wear are present. DGS shall not be liable for personal injury or property damage incurred through the use of purchased items.